

1 Apache::Const - Perl Interface for Apache Constants

1.1 SYNOPSIS

1.2 CONSTANTS

1.2.1 :cmd_how

```
use Apache::Const -compile => qw(:cmd_how);
```

The :cmd_how group is for XXX constants.

1.2.1.1 Apache::FLAG

1.2.1.2 Apache::ITERATE

1.2.1.3 Apache::ITERATE2

1.2.1.4 Apache::NO_ARGS

1.2.1.5 Apache::RAW_ARGS

1.2.1.6 Apache::TAKE1

1.2.1.7 Apache::TAKE12

1.2.1.8 Apache::TAKE123

1.2.1.9 Apache::TAKE13

1.2.1.10 Apache::TAKE2

1.2.1.11 Apache::TAKE23

1.2.1.12 Apache::TAKE3

1.2.2 :common

```
use Apache::Const -compile => qw(:common);
```

The :common group is for XXX constants.

1.2.2.1 Apache::AUTH_REQUIRED

1.2.2.2 Apache::DECLINED**1.2.2.3 Apache::DONE****1.2.2.4 Apache::FORBIDDEN****1.2.2.5 Apache::NOT_FOUND****1.2.2.6 Apache::OK****1.2.2.7 Apache::REDIRECT****1.2.2.8 Apache::SERVER_ERROR*****1.2.3 :config***

```
use Apache::Const -compile => qw(:config);
```

The :config group is for XXX constants.

1.2.3.1 Apache::DECLINE_CMD***1.2.4 :filter_type***

```
use Apache::Const -compile => qw(:filter_type);
```

The :filter_type group is for XXX constants.

1.2.4.1 Apache::FTYPE_CONNECTION**1.2.4.2 Apache::FTYPE_CONTENT_SET****1.2.4.3 Apache::FTYPE_NETWORK****1.2.4.4 Apache::FTYPE_PROTOCOL****1.2.4.5 Apache::FTYPE_RESOURCE****1.2.4.6 Apache::FTYPE_TRANSCODE*****1.2.5 :http***

```
use Apache::Const -compile => qw(:http);
```

The :http group is for XXX constants.

1.2.5 :http

- 1.2.5.1 Apache::HTTP_ACCEPTED
- 1.2.5.2 Apache::HTTP_BAD_GATEWAY
- 1.2.5.3 Apache::HTTP_BAD_REQUEST
- 1.2.5.4 Apache::HTTP_CONFLICT
- 1.2.5.5 Apache::HTTP_CONTINUE
- 1.2.5.6 Apache::HTTP_CREATED
- 1.2.5.7 Apache::HTTP_EXPECTATION_FAILED
- 1.2.5.8 Apache::HTTP_FAILED_DEPENDENCY
- 1.2.5.9 Apache::HTTP_FORBIDDEN
- 1.2.5.10 Apache::HTTP_GATEWAY_TIME_OUT
- 1.2.5.11 Apache::HTTP_GONE
- 1.2.5.12 Apache::HTTP_INSUFFICIENT_STORAGE
- 1.2.5.13 Apache::HTTP_INTERNAL_SERVER_ERROR
- 1.2.5.14 Apache::HTTP_LENGTH_REQUIRED
- 1.2.5.15 Apache::HTTP_LOCKED
- 1.2.5.16 Apache::HTTP_METHOD_NOT_ALLOWED
- 1.2.5.17 Apache::HTTP_MOVED_PERMANENTLY
- 1.2.5.18 Apache::HTTP_MOVED_TEMPORARILY
- 1.2.5.19 Apache::HTTP_MULTIPLE_CHOICES
- 1.2.5.20 Apache::HTTP_MULTI_STATUS
- 1.2.5.21 Apache::HTTP_NON_AUTHORITATIVE

- 1.2.5.22 Apache::HTTP_NOT_ACCEPTABLE
- 1.2.5.23 Apache::HTTP_NOT_EXTENDED
- 1.2.5.24 Apache::HTTP_NOT_FOUND
- 1.2.5.25 Apache::HTTP_NOT_IMPLEMENTED
- 1.2.5.26 Apache::HTTP_NOT_MODIFIED
- 1.2.5.27 Apache::HTTP_NO_CONTENT
- 1.2.5.28 Apache::HTTP_OK
- 1.2.5.29 Apache::HTTP_PARTIAL_CONTENT
- 1.2.5.30 Apache::HTTP_PAYMENT_REQUIRED
- 1.2.5.31 Apache::HTTP_PRECONDITION_FAILED
- 1.2.5.32 Apache::HTTP_PROCESSING
- 1.2.5.33 Apache::HTTP_PROXY_AUTHENTICATION_REQUIRED
- 1.2.5.34 Apache::HTTP_RANGE_NOT_SATISFIABLE
- 1.2.5.35 Apache::HTTP_REQUEST_ENTITY_TOO_LARGE
- 1.2.5.36 Apache::HTTP_REQUEST_TIME_OUT
- 1.2.5.37 Apache::HTTP_REQUEST_URI_TOO_LARGE
- 1.2.5.38 Apache::HTTP_RESET_CONTENT
- 1.2.5.39 Apache::HTTP_SEE_OTHER
- 1.2.5.40 Apache::HTTP_SERVICE_UNAVAILABLE
- 1.2.5.41 Apache::HTTP_SWITCHING_PROTOCOLS
- 1.2.5.42 Apache::HTTP_TEMPORARY_REDIRECT

1.2.6 :input_mode

1.2.5.43 Apache::HTTP_UNAUTHORIZED

1.2.5.44 Apache::HTTP_UNPROCESSABLE_ENTITY

1.2.5.45 Apache::HTTP_UNSUPPORTED_MEDIA_TYPE

1.2.5.46 Apache::HTTP_USE_PROXY

1.2.5.47 Apache::HTTP_VARIANT_ALSO_VARIES

1.2.6 :input_mode

```
use Apache::Const -compile => qw(:input_mode);
```

The :input_mode group is for XXX constants.

1.2.6.1 Apache::MODE_EATCRLF

1.2.6.2 Apache::MODE_EXHAUSTIVE

1.2.6.3 Apache::MODE_GETLINE

1.2.6.4 Apache::MODE_INIT

1.2.6.5 Apache::MODE_READBYTES

1.2.6.6 Apache::MODE_SPECULATIVE

1.2.7 :log

```
use Apache::Const -compile => qw(:log);
```

The :log group is for XXX constants.

1.2.7.1 Apache::LOG_ALERT

1.2.7.2 Apache::LOG_CRIT

1.2.7.3 Apache::LOG_DEBUG

1.2.7.4 Apache::LOG_EMERG

1.2.7.5 Apache::LOG_ERR

1.2.7.6 Apache::LOG_INFO**1.2.7.7 Apache::LOG_LEVELMASK****1.2.7.8 Apache::LOG_NOTICE****1.2.7.9 Apache::LOG_STARTUP****1.2.7.10 Apache::LOG_TOCLIENT****1.2.7.11 Apache::LOG_WARNING*****1.2.8 :methods***

```
use Apache::Const -compile => qw(:methods);
```

The :methods group is for XXX constants.

1.2.8.1 Apache::METHODS**1.2.8.2 Apache::M_BASELINE_CONTROL****1.2.8.3 Apache::M_CHECKIN****1.2.8.4 Apache::M_CHECKOUT****1.2.8.5 Apache::M_CONNECT****1.2.8.6 Apache::M_COPY****1.2.8.7 Apache::M_DELETE****1.2.8.8 Apache::M_GET****1.2.8.9 Apache::M_INVALID****1.2.8.10 Apache::M_LABEL****1.2.8.11 Apache::M_LOCK****1.2.8.12 Apache::M_MERGE**

1.2.9 :mpmq

1.2.8.13 Apache::M_MKACTIVITY

1.2.8.14 Apache::M_MKCOL

1.2.8.15 Apache::M_MKWORKSPACE

1.2.8.16 Apache::M_MOVE

1.2.8.17 Apache::M_OPTIONS

1.2.8.18 Apache::M_PATCH

1.2.8.19 Apache::M_POST

1.2.8.20 Apache::M_PROPFIND

1.2.8.21 Apache::M_PROPPATCH

1.2.8.22 Apache::M_PUT

1.2.8.23 Apache::M_REPORT

1.2.8.24 Apache::M_TRACE

1.2.8.25 Apache::M_UNCHECKOUT

1.2.8.26 Apache::M_UNLOCK

1.2.8.27 Apache::M_UPDATE

1.2.8.28 Apache::M_VERSION_CONTROL

1.2.9 :mpmq

```
use Apache::Const -compile => qw(:mpmq);
```

The :mpmq group is for querying MPM properties.

1.2.9.1 Apache::MPMQ_NOT_SUPPORTED

1.2.9.2 Apache::MPMQ_STATIC

1.2.9.3 Apache::MPMQ_DYNAMIC

1.2.9.4 Apache::MPMQ_MAX_DAEMON_USED

1.2.9.5 Apache::MPMQ_IS_THREADED

1.2.9.6 Apache::MPMQ_IS_FORKED

1.2.9.7 Apache::MPMQ_HARD_LIMIT_DAEMONS

1.2.9.8 Apache::MPMQ_HARD_LIMIT_THREADS

1.2.9.9 Apache::MPMQ_MAX_THREADS

1.2.9.10 Apache::MPMQ_MIN_SPARE_DAEMONS

1.2.9.11 Apache::MPMQ_MIN_SPARE_THREADS

1.2.9.12 Apache::MPMQ_MAX_SPARE_DAEMONS

1.2.9.13 Apache::MPMQ_MAX_SPARE_THREADS

1.2.9.14 Apache::MPMQ_MAX_REQUESTS_DAEMON

1.2.9.15 Apache::MPMQ_MAX_DAEMONS

1.2.10 :options

```
use Apache::Const -compile => qw(:options);
```

The :options group is for XXX constants.

1.2.10.1 Apache::OPT_ALL

1.2.10.2 Apache::OPT_EXECCGI

1.2.10.3 Apache::OPT_INCLUDES

1.2.10.4 Apache::OPT_INCNOEXEC

1.2.10.5 Apache::OPT_INDEXES

1.2.11 `:override`

1.2.10.6 `Apache::OPT_MULTI`

1.2.10.7 `Apache::OPT_NONE`

1.2.10.8 `Apache::OPT_SYM_LINKS`

1.2.10.9 `Apache::OPT_SYM_OWNER`

1.2.10.10 `Apache::OPT_UNSET`

1.2.11 :override

```
use Apache::Const -compile => qw(:override);
```

The `:override` group is for XXX constants.

1.2.11.1 `Apache::ACCESS_CONF`

1.2.11.2 `Apache::OR_ALL`

1.2.11.3 `Apache::OR_AUTHCFG`

1.2.11.4 `Apache::OR_FILEINFO`

1.2.11.5 `Apache::OR_INDEXES`

1.2.11.6 `Apache::OR_LIMIT`

1.2.11.7 `Apache::OR_NONE`

1.2.11.8 `Apache::OR_OPTIONS`

1.2.11.9 `Apache::OR_UNSET`

1.2.11.10 `Apache::RSRC_CONF`

1.2.12 :platform

```
use Apache::Const -compile => qw(:platform);
```

The `:platform` group is for constants that may differ from OS to OS.

1.2.12.1 `Apache::CRLF`

1.2.12.2 Apache::CR

1.2.12.3 Apache::LF

1.2.13 :remotehost

```
use Apache::Const -compile => qw(:remotehost);
```

The :remotehost group is for XXX constants.

1.2.13.1 Apache::REMOTE_DOUBLE_REV

1.2.13.2 Apache::REMOTE_HOST

1.2.13.3 Apache::REMOTE_NAME

1.2.13.4 Apache::REMOTE_NOLOOKUP

1.2.14 :satisfy

```
use Apache::Const -compile => qw(:satisfy);
```

The :satisfy group is for XXX constants.

1.2.14.1 Apache::SATISFY_ALL

1.2.14.2 Apache::SATISFY_ANY

1.2.14.3 Apache::SATISFY_NOSPEC

1.2.15 :types

```
use Apache::Const -compile => qw(:types);
```

The :types group is for XXX constants.

1.2.15.1 Apache::DIR_MAGIC_TYPE

Table of Contents:

1	Apache::Const - Perl Interface for Apache Constants	1
1.1	SYNOPSIS	2
1.2	CONSTANTS	2
1.2.1	:cmd_how	2
1.2.1.1	Apache::FLAG	2
1.2.1.2	Apache::ITERATE	2
1.2.1.3	Apache::ITERATE2	2
1.2.1.4	Apache::NO_ARGS	2
1.2.1.5	Apache::RAW_ARGS	2
1.2.1.6	Apache::TAKE1	2
1.2.1.7	Apache::TAKE12	2
1.2.1.8	Apache::TAKE123	2
1.2.1.9	Apache::TAKE13	2
1.2.1.10	Apache::TAKE2	2
1.2.1.11	Apache::TAKE23	2
1.2.1.12	Apache::TAKE3	2
1.2.2	:common	2
1.2.2.1	Apache::AUTH_REQUIRED	2
1.2.2.2	Apache::DECLINED	3
1.2.2.3	Apache::DONE	3
1.2.2.4	Apache::FORBIDDEN	3
1.2.2.5	Apache::NOT_FOUND	3
1.2.2.6	Apache::OK	3
1.2.2.7	Apache::REDIRECT	3
1.2.2.8	Apache::SERVER_ERROR	3
1.2.3	:config	3
1.2.3.1	Apache::DECLINE_CMD	3
1.2.4	:filter_type	3
1.2.4.1	Apache::FTYPE_CONNECTION	3
1.2.4.2	Apache::FTYPE_CONTENT_SET	3
1.2.4.3	Apache::FTYPE_NETWORK	3
1.2.4.4	Apache::FTYPE_PROTOCOL	3
1.2.4.5	Apache::FTYPE_RESOURCE	3
1.2.4.6	Apache::FTYPE_TRANSCODE	3
1.2.5	:http	3
1.2.5.1	Apache::HTTP_ACCEPTED	4
1.2.5.2	Apache::HTTP_BAD_GATEWAY	4
1.2.5.3	Apache::HTTP_BAD_REQUEST	4
1.2.5.4	Apache::HTTP_CONFLICT	4
1.2.5.5	Apache::HTTP_CONTINUE	4
1.2.5.6	Apache::HTTP_CREATED	4
1.2.5.7	Apache::HTTP_EXPECTATION_FAILED	4
1.2.5.8	Apache::HTTP_FAILED_DEPENDENCY	4
1.2.5.9	Apache::HTTP_FORBIDDEN	4

Table of Contents:

1.2.5.10	Apache::HTTP_GATEWAY_TIME_OUT	.4
1.2.5.11	Apache::HTTP_GONE	.4
1.2.5.12	Apache::HTTP_INSUFFICIENT_STORAGE	.4
1.2.5.13	Apache::HTTP_INTERNAL_SERVER_ERROR	.4
1.2.5.14	Apache::HTTP_LENGTH_REQUIRED	.4
1.2.5.15	Apache::HTTP_LOCKED	.4
1.2.5.16	Apache::HTTP_METHOD_NOT_ALLOWED	.4
1.2.5.17	Apache::HTTP_MOVED_PERMANENTLY	.4
1.2.5.18	Apache::HTTP_MOVED_TEMPORARILY	.4
1.2.5.19	Apache::HTTP_MULTIPLE_CHOICES	.4
1.2.5.20	Apache::HTTP_MULTI_STATUS	.4
1.2.5.21	Apache::HTTP_NON_AUTHORITATIVE	.4
1.2.5.22	Apache::HTTP_NOT_ACCEPTABLE	.5
1.2.5.23	Apache::HTTP_NOT_EXTENDED	.5
1.2.5.24	Apache::HTTP_NOT_FOUND	.5
1.2.5.25	Apache::HTTP_NOT_IMPLEMENTED	.5
1.2.5.26	Apache::HTTP_NOT_MODIFIED	.5
1.2.5.27	Apache::HTTP_NO_CONTENT	.5
1.2.5.28	Apache::HTTP_OK	.5
1.2.5.29	Apache::HTTP_PARTIAL_CONTENT	.5
1.2.5.30	Apache::HTTP_PAYMENT_REQUIRED	.5
1.2.5.31	Apache::HTTP_PRECONDITION_FAILED	.5
1.2.5.32	Apache::HTTP_PROCESSING	.5
1.2.5.33	Apache::HTTP_PROXY_AUTHENTICATION_REQUIRED	.5
1.2.5.34	Apache::HTTP_RANGE_NOT_SATISFIABLE	.5
1.2.5.35	Apache::HTTP_REQUEST_ENTITY_TOO_LARGE	.5
1.2.5.36	Apache::HTTP_REQUEST_TIME_OUT	.5
1.2.5.37	Apache::HTTP_REQUEST_URI_TOO_LARGE	.5
1.2.5.38	Apache::HTTP_RESET_CONTENT	.5
1.2.5.39	Apache::HTTP_SEE_OTHER	.5
1.2.5.40	Apache::HTTP_SERVICE_UNAVAILABLE	.5
1.2.5.41	Apache::HTTP_SWITCHING_PROTOCOLS	.5
1.2.5.42	Apache::HTTP_TEMPORARY_REDIRECT	.5
1.2.5.43	Apache::HTTP_UNAUTHORIZED	.6
1.2.5.44	Apache::HTTP_UNPROCESSABLE_ENTITY	.6
1.2.5.45	Apache::HTTP_UNSUPPORTED_MEDIA_TYPE	.6
1.2.5.46	Apache::HTTP_USE_PROXY	.6
1.2.5.47	Apache::HTTP_VARIANT_ALSO_VARIES	.6
1.2.6	:input_mode	.6
1.2.6.1	Apache::MODE_EATCRLF	.6
1.2.6.2	Apache::MODE_EXHAUSTIVE	.6
1.2.6.3	Apache::MODE_GETLINE	.6
1.2.6.4	Apache::MODE_INIT	.6
1.2.6.5	Apache::MODE_READBYTES	.6
1.2.6.6	Apache::MODE_SPECULATIVE	.6
1.2.7	:log	.6
1.2.7.1	Apache::LOG_ALERT	.6

1.2.7.2	Apache::LOG_CRIT	.6
1.2.7.3	Apache::LOG_DEBUG	.6
1.2.7.4	Apache::LOG_EMERG	.6
1.2.7.5	Apache::LOG_ERR	.6
1.2.7.6	Apache::LOG_INFO	.7
1.2.7.7	Apache::LOG_LEVELMASK	.7
1.2.7.8	Apache::LOG_NOTICE	.7
1.2.7.9	Apache::LOG_STARTUP	.7
1.2.7.10	Apache::LOG_TOCLIENT	.7
1.2.7.11	Apache::LOG_WARNING	.7
1.2.8	:methods	.7
1.2.8.1	Apache::METHODS	.7
1.2.8.2	Apache::M_BASELINE_CONTROL	.7
1.2.8.3	Apache::M_CHECKIN	.7
1.2.8.4	Apache::M_CHECKOUT	.7
1.2.8.5	Apache::M_CONNECT	.7
1.2.8.6	Apache::M_COPY	.7
1.2.8.7	Apache::M_DELETE	.7
1.2.8.8	Apache::M_GET	.7
1.2.8.9	Apache::M_INVALID	.7
1.2.8.10	Apache::M_LABEL	.7
1.2.8.11	Apache::M_LOCK	.7
1.2.8.12	Apache::M_MERGE	.7
1.2.8.13	Apache::M_MKACTIVITY	.8
1.2.8.14	Apache::M_MKCOL	.8
1.2.8.15	Apache::M_MKWORKSPACE	.8
1.2.8.16	Apache::M_MOVE	.8
1.2.8.17	Apache::M_OPTIONS	.8
1.2.8.18	Apache::M_PATCH	.8
1.2.8.19	Apache::M_POST	.8
1.2.8.20	Apache::M_PROPFIND	.8
1.2.8.21	Apache::M_PROPPATCH	.8
1.2.8.22	Apache::M_PUT	.8
1.2.8.23	Apache::M_REPORT	.8
1.2.8.24	Apache::M_TRACE	.8
1.2.8.25	Apache::M_UNCHECKOUT	.8
1.2.8.26	Apache::M_UNLOCK	.8
1.2.8.27	Apache::M_UPDATE	.8
1.2.8.28	Apache::M_VERSION_CONTROL	.8
1.2.9	:mpmq	.8
1.2.9.1	Apache::MPMQ_NOT_SUPPORTED	.8
1.2.9.2	Apache::MPMQ_STATIC	.8
1.2.9.3	Apache::MPMQ_DYNAMIC	.9
1.2.9.4	Apache::MPMQ_MAX_DAEMON_USED	.9
1.2.9.5	Apache::MPMQ_IS_THREADED	.9
1.2.9.6	Apache::MPMQ_IS_FORKED	.9
1.2.9.7	Apache::MPMQ_HARD_LIMIT_DAEMONS	.9

Table of Contents:

1.2.9.8	Apache::MPMQ_HARD_LIMIT_THREADS9
1.2.9.9	Apache::MPMQ_MAX_THREADS9
1.2.9.10	Apache::MPMQ_MIN_SPARE_DAEMONS9
1.2.9.11	Apache::MPMQ_MIN_SPARE_THREADS9
1.2.9.12	Apache::MPMQ_MAX_SPARE_DAEMONS9
1.2.9.13	Apache::MPMQ_MAX_SPARE_THREADS9
1.2.9.14	Apache::MPMQ_MAX_REQUESTS_DAEMON9
1.2.9.15	Apache::MPMQ_MAX_DAEMONS9
1.2.10	:options9
1.2.10.1	Apache::OPT_ALL9
1.2.10.2	Apache::OPT_EXECCGI9
1.2.10.3	Apache::OPT_INCLUDES9
1.2.10.4	Apache::OPT_INCNOEXEC9
1.2.10.5	Apache::OPT_INDEXES9
1.2.10.6	Apache::OPT_MULTI	10
1.2.10.7	Apache::OPT_NONE	10
1.2.10.8	Apache::OPT_SYM_LINKS	10
1.2.10.9	Apache::OPT_SYM_OWNER	10
1.2.10.10	Apache::OPT_UNSET	10
1.2.11	:override	10
1.2.11.1	Apache::ACCESS_CONF	10
1.2.11.2	Apache::OR_ALL	10
1.2.11.3	Apache::OR_AUTHCFG	10
1.2.11.4	Apache::OR_FILEINFO	10
1.2.11.5	Apache::OR_INDEXES	10
1.2.11.6	Apache::OR_LIMIT	10
1.2.11.7	Apache::OR_NONE	10
1.2.11.8	Apache::OR_OPTIONS	10
1.2.11.9	Apache::OR_UNSET	10
1.2.11.10	Apache::RSRC_CONF	10
1.2.12	:platform	10
1.2.12.1	Apache::CRLF	10
1.2.12.2	Apache::CR	11
1.2.12.3	Apache::LF	11
1.2.13	:remotehost	11
1.2.13.1	Apache::REMOTE_DOUBLE_REV	11
1.2.13.2	Apache::REMOTE_HOST	11
1.2.13.3	Apache::REMOTE_NAME	11
1.2.13.4	Apache::REMOTE_NOLOOKUP	11
1.2.14	:satisfy	11
1.2.14.1	Apache::SATISFY_ALL	11
1.2.14.2	Apache::SATISFY_ANY	11
1.2.14.3	Apache::SATISFY_NOSPEC	11
1.2.15	:types	11
1.2.15.1	Apache::DIR_MAGIC_TYPE	11